

# Foreign Object Tracking System

## Integrated Systems for Reporting and Resolving Possible Loose Part (PLP) Indications

Foreign objects in the steam generator secondary side may damage tubes. Utilities need to integrate data from both primary (ET) and secondary (VT) inspections to facilitate loose part identification and removal. AREVA's Foreign Object Tracking System was developed to get the job done – providing confidence for complete loose part removal.


### Integrated Approach Accurately Locates Foreign Objects in SGs

AREVA's advanced Foreign Object Tracking System (FOTS) helps customers more closely locate, track and disposition foreign objects. FOTS integrates eddy current (ET) inspection results with secondary side visual inspection (VI) data to form a centralized repository for reporting and resolving PLPs.

Item ID	Location	Material	Size	Weight	Disposition	ET Run	ET Results
1	8 H	BC	3/4	3/2	Buttons	PLP	TSC -4.19 TSC TSC LAG D43 70 SREP Resolution
2	8 H	BC	3/4	3/2	Pin Point		
3	8 H	BC	3/4	3/2	Pin Point		
4	8 H	BC	3/4	3/2	Buttons	WOD	TSC TSC D43 70 SREP Resolution
5	8 H	BC	3/4	3/2	Pin Point		
6	8 H	BC	3/4	3/2	Buttons	WOD	TSC TSC D43 70 SREP Resolution
7	8 H	BC	3/4	3/2	Pin Point		
8	8 H	BC	3/4	3/2	Buttons		
9	8 H	BC	3/4	3/2	Pin Point		
10	8 H	BC	3/4	3/2	Buttons	WOD	TSC TSC D43 70 SREP Resolution
11	8 H	BC	3/4	3/2	Pin Point		
12	8 H	BC	3/4	3/2	Buttons		
13	8 H	BC	3/4	3/2	Pin Point		
14	8 H	BC	3/4	3/2	Buttons	WOD	TSC TSC D43 70 SREP Resolution
15	8 H	BC	3/4	3/2	Pin Point		

### Enhancing a Reliable Process for Tracking and Resolution of PLPs

- Automatically define PLPs, pinpointing both the tube number and specific location, and automatically identify tubes bounding the PLP
- Initiate and control actions based on pre-established process requirements; allow virtually automatic coordination of work activities
- Display the ET inspection plan and associated results for affected and bounding tubes, allowing accurate assessment of required actions
- Graphic, video, and other document files are available for convenient viewing and reference by all interested parties
- Single and controlled access source for foreign object data supports a focused effort and comprehensive condition assessment
- Integration with the secondary side inspection software to facilitate easier access and utilization
- Provides descriptive quantification of a foreign object, such as material, size and mass
- Significantly reduces the probability of errors when mapping foreign object locations
- Allows pre-outage planning for secondary side inspection activities around historical PLPs stored in the FOTS system



FOTS integrates multiple databases for clear picture of PLPs

## Features and Benefits

- Rules defined to automatically trigger actions requiring attention
- Integration with the secondary side inspection software facilitates easier access and utilization, saving time

**Integrated systems for efficient resolution of PLPs and communication between primary and secondary activities.**

**AREVA Inc.**  
155 Mill Ridge Road, Lynchburg, VA 24501

**Robin Carey**  
Manager, Business Development  
Tel.: 434.832.3987  
Robin.Carey@areva.com  
[us.aveva.com](http://us.aveva.com)

The data and information contained herein are provided solely for illustration and informational purposes and create no legal obligations by AREVA. None of the information or data is intended by AREVA to be a representation or a warranty of any kind, expressed or implied, and AREVA assumes no liability for the use of or reliance on any information or data disclosed in this document. © 2017 AREVA Inc. All rights reserved.